


INCOMPARABLE DEEP CYCLE AGM BATTERY

LDC12-120 (12V120Ah)



CHARACTERISTICS

Item	Specifications		
Voltage	12V		
Dimension	Length	330mm (13.0inches)	
	Width	173mm (6.81inches)	
	Container Height	213mm (8.39inches)	
	Total Height	220mm (8.66inches)	
Approx Weight	32.8kg (72.3lbs)		
Terminal	T11(M8)		
Container Material	ABS		
Reserve Capacity	25A	240min	
	75A	68min	
	20HR	120Ah	
Capacity	5HR	106Ah	
	Discharge	-20~55°C (-4~131°F)	
Operating Temp. Range	Charge	0~40°C (32~104°F)	
	Storage	-15~40°C (5~104°F)	



APPLICATIONS

- Electric vehicle
- Golf cart
- Sightseeing
- Cleaning equipment
- AWP
- Mobility



Note: Terminal Torque Values in-lb(Nm):97.35-130.0(11.0-14.7)



INCOMPARABLE DEEP CYCLE AGM BATTERY

LDC12-120 (12V120Ah)



GENERAL FEATURES

Stable initial capacity

- PAM/NAM amount optimization
- 4BS crystal paste mixing & curing technology
- Double layer separator technology
- Improved design electrolyte S.G.

Improved PSoC cycling

- Carbon boost technology
- Mix carbon boost technology
- Targeting for higher level through carbon technology

Excellent deep cycle performance

- Plate assembly pressure re-engineering
- New PAM/NAM recipe introduced
- Gel electrolyte technology
- Rare earth alloy
- Double layer separator technology
- Lower acid filling temperature

Less water loss

- PAM/NAM amount optimization
- New PAM/NAM recipe introduced
- Rare earth alloy

Delay PAM softening and shedding





- Plate assembly pressure re-engineering
- 4BS crystal paste mixing & curing technology
- Higher paste density

Solve NAM sulphation

- Carbon boost technology
- Pre-sulfate technology

Optimize electrolyte stratification

- Introduce AGM-GEL technology



Leoch International Technology Ltd.
www.leoch.com

Leoch Batteries Pte Ltd
www.leoch.sg

Leoch Battery Corporation
www.leochamericas.com

Leoch Europe S.A.
www.leoch.eu