

AVISTA BRAKE FLUID DOT 4

BRAKE FLUID.

AVISTA BRAKE FLUID DOT 4 is recommended for brake and clutch systems of vehicles requiring DOT 4 synthetic brake fluid. AVISTA BRAKE FLUID DOT 4 is based on polyglycol ether. It is used, among others, in hydraulic brake and clutch systems of passenger cars, commercial vehicles, motorcycles, agricultural vehicles. The product is hygroscopic and must therefore be stored in tightly closed containers. After use, the containers must be closed again immediately.

Brake fluids can cause damage to the vehicle paintwork!

QUALITY ADVANTAGES

- good wear protection
- excellent corrosion protection and thermal stability
- synthetic fluid
- compatible with comparable brake fluids

RECOMMENDATIONS

- FMVSS Nr. 116 DOT 4
- SAE J 1703
- SAE J 1704
- ISO 4925 Class 4

TYPICAL CHARACTERISTICS

The given data are typical data.)

Parameter	Method	Unit	
Density @ 20°C	DIN 51757	g/cm ³	1.04
Kin. Viscosity @ -40°C	ISO 3104	mm ² /s	max. 1,800
Kin. Viscosity @ 100°C	DIN 51562	mm ² /s	min. 1.5
Dry Boiling Point	House method	°C	min. 230
Wet Boiling Point	House method	°C	min. 155

We reserve the right to change the general characteristics of our product so that our customers can benefit from the latest technological advances.